Saskatchewan
Ministry of
Agriculture

Crop Report

Published by the Ministry of Agriculture
ISSN 0701 7085
Report number 12, June 23, 2011

For the Period May June 14 to 20, 2011

Eighty-two cent of the 2011 crop has been seeded according to Saskatchewan Agriculture's weekly Crop Report. Last year at this time, 76 per cent of the 2010 crop had been seeded. The five year (2006-2010) average for this time of year is approximately 93 per cent seeded.

One year ago
Thunderstorms and rain rolled through the province. Excess moisture left many acres unseeded, especially in the eastern regions of the province.

Rain and thunder showers were recorded for most of the province during the past week, resulting in little or no seeding progress. Heavy rain was recorded in many areas causing flooding and severe excess moisture issues. Some areas recorded over 100 mm of rain for the week.

The southeast is reporting 44 per cent seeded, the southwest 82 per cent, the east-central 86 per cent, the west central 99 per cent, the northeast 98 per cent and the northwest is reporting 99 per cent of the crop seeded. Seeding progress varies greatly, especially within the south and east central regions.

Seeding Progress in SK Per cent seeded	
All Crops	
June 20/11	82
5 year avg. (2006-2010)	93
June 21/10	76
June 8/09	99
June 8/08	99
June 10/07	96
June 11/06	94

Across the province, topsoil moisture on cropland is rated as 51 per cent surplus, 48 per cent adequate and one per cent short. Hay and pasture topsoil moisture is rated as 44 per cent surplus, 54 per cent adequate and two per cent short.

Sixty-five per cent of the oilseeds, 58 per cent of the pulse crops and 64 per cent of the spring cereals are behind normal in development. Fifty-nine per cent of the fall cereals are at normal stages of development.

Seventy-one per cent of the winter wheat, 80 per cent of the spring wheat, 78 per cent of the durum, 78 per cent of the canola, 79 per cent of the lentils, and 77 per cent of the field peas are in good to fair condition. The majority of crop damage is due to flooding, hail and cutworms.

For further information, contact: Grant McLean, PAg,
Cropping Management Specialist, Agriculture Knowledge Centre,
Toll Free: 1-866-457-2377, E-mail: cropreport@gov.sk.ca.
Also available on the Ministry of Agriculture website at www.agriculture.gov.sk.ca.

Agriculture and Agri-Food Canada | Agriculture et Agroalimentaire Canada

SCIC
SASKATCHEWAN CROP INSURANCE CORPORATION

Southeastern Saskatchewan (Crop Districts 1, 2, and 3ASE)

The southeast region is dealing with severe excess moisture after some areas recorded over three inches of rain. Precipitation reported ranges from 18 to 124 mm. Further seeding progress is unlikely, however some green feed crops may be able to be seeded in some areas. Forty-four per cent of the 2011 crop is in the ground. However, depending on the area, seeding progress ranges from five to 90 per cent complete. Some acres that were seeded are now flooded.

SE region Crop District	% seeded (June 20, 2011)
1A	33
1B	17
2A	43
2B	66
3ASE	57
region average	**44**

Many areas of the region are now dealing with flooded houses, yards, and land underwater. The Stoughton area reported 114 mm of rain, the Lampman area 75 mm, the Glenavon area 79 mm, the Windthorst area 43 mm, the Weyburn area 124 mm, the Pangman area 76 mm, the Indian Head area 94 mm, the Moose Jaw area 50 mm, the Radville area 116mm and the Ceylon area 85 mm. Some areas have recorded well over 300 mm of rain since April 1. The Weyburn area has received 383 mm of rain since April 1st.

The continuous rain has halted field work for many weeks now. The majority of the producers in the region continue to struggle with wet and flooded conditions. Access to fields is a major issue as roads are washed out, flooded or very soft. Weed control is a concern now as weeds are starting to get ahead of the crop in many areas. Farm yards, corrals, pasture and hay land are flooded, partially flooded and very soft. Many cattle producers are having a difficult time processing and vaccinating cattle in the wet weather. Some cattle producers are still feeding herds in the yard as access to pasture is limited.

Topsoil moisture conditions on crop land are 86 per cent surplus and 14 per cent adequate. Hay and pasture land is rated as 81 per cent surplus and 19 per cent adequate.
Flooding is the cause of most crop damage.

Eighty-eight per cent of the spring cereals, 57 per cent of the fall cereals, 88 per cent of the oilseeds and 79 per cent of the pulse crops are behind normal in development. Crop reporters have indicated it is difficult to assess crop conditions as crops are just emerging in some areas.

Flooding is the cause of most crop damage. Crops that have emerged are showing signs of excess moisture stress. Livestock producers are hoping it will dry up enough to put in some green feed crops. Crop reporters are predicting there will be many acres of hay

land that will not be accessible. Crop reporters are indicating it is difficult to assess crop conditions at this time due to all of the water.

Producers are hoping for clear skies and good drying weather.

Southwestern Saskatchewan (Crop Districts 3ASW, 3AN, 3B and 4)

The south west received a significant amount of rain in most areas, limiting progress in the field. Producers in the region have 82 per cent of the 2011 crop seeded. Seeding progress varies across the region from 36 per cent seeded to 100 per cent complete. Most areas recorded rain for the week ranging from 3 to 100 mm.

SW region Crop District	% Seeded (June 20, 2011)
3ASW	67
3AN	75
3BS	71
3BN	98
4A	67
4B	98
region average	**82**

The Big Beaver area recorded 90 mm, the Lisieux area 59 mm, the Assiniboia area 100 mm, the Chaplin area 70 mm, the Eyebrow area 65 mm, the Kincaid area 84 mm, the Shaunavon area 31 mm, the Stewart Valley area 66 mm, the Webb area 51 mm, the Gull Lake area 32 mm and the Leader area 41 mm. Many areas have recorded well over 250 mm of rain since April 1st. The Big Beaver area has recorded 415 mm since April 1.

Crop conditions vary greatly in the region, depending on where the rain has been recorded and when crops were seeded. Some crops are just emerging, others are growing well. Producers are hoping for warm weather to get the crops growing. Sixty-seven per cent of the fall cereals are at normal stages of development. Seventy-seven per cent of the spring cereals, 78 per cent of the oilseeds and 67 per cent of the pulse crops are behind normal in development.

The rain received on the weekend flooded fields and washed out roads. There was a funnel cloud spotted near Coderre. Access to fields is difficult due to impassable roads in some areas. Livestock producers are having trouble getting cattle processed and vaccinated due to wet conditions. Some cattle have yet to be delivered to community pastures. Areas in crop district 4B were glad to see the rain as the topsoil was drying out and some crops had issues with emergence.

Cropland topsoil moisture is rated as 48 per cent surplus, 51 per cent adequate and one per cent short. Hay land and pasture topsoil moisture is rated as 32 per cent surplus, 66 per cent adequate and two per cent short. Crop damage is mostly due to flooding. Hail damage was reported in the Shaunavon, Eastend and Consul areas.

Farmers are busy controlling weeds and getting ready for haying. Producers are hoping for clear skies and good drying weather.

East-Central Saskatchewan (Crop Districts 5 and 6a)

EC region Crop District	% Seeded (June 20, 2011)
5A	66
5B	90
6A	96
region average	**86**

Seeding progress in the region is 86 per cent complete. Seeding progress in the region ranges from 15 per cent to 100 per cent complete. Rain in varying amounts was recorded across the region ranging from 18 to 103 mm.

The Ituna area recorded 100 mm of rain, the Stockholm area 56 mm, the Jedburgh area 46 mm, the Sturgis area 103 mm, the Quill Lake area 74 mm, the Kelvington area 75 mm, the Chamberlain area 62 mm, the Humboldt area 35 mm and the Nokomis area 62 mm.

Field access is an issue in some areas on the eastern and southern side of the region due to washed out or flooded roads. There are some areas that have missed the heavy rains and crops are reported to have good potential. The areas in the northern part of the region were glad to see the rain as topsoil moisture was drying out. On the eastern side of the region, cattle producers are having a difficult time getting cattle out to pasture due to soft roads. Weed control operations have halted until the ground dries up a bit. This is a major concern as many fields have heavy weed growth. With the heavy rainfall, some acres are expected to be lost due to flooding. Some heat is needed.

The majority of crop damage is due to flooding and cutworms. Hail was reported in the Kelvington, Semans and Nokomis areas. Leaf diseases are starting to show up. Cropland topsoil moisture is rated as 59 per cent surplus and 41 per cent adequate. Hay land and pasture topsoil moisture is rated as 47 per cent surplus, 51 per cent adequate, and two per cent short.

Fifty-seven per cent of the fall cereals and 51 per cent of the pulse crops are at normal stages of development. Sixty-nine per cent of the spring cereals and 68 per cent of the oilseeds crops are behind normal in development.

Farmers are busy controlling weeds and getting ready for haying.

West-Central Saskatchewan (Crop Districts 6B and 7)

Rain showers rolled through most of the region during the past week. The region is reporting 99 per cent of the 2011 crop seeded. The rain was timely and welcome for the most part as topsoil moisture was drying out. There was some minor flooding in fields in areas that received significant rain.

The Arelee area reported 68 mm of rain, the Dinsmore area 44 mm, the Hanley area 31 mm, the Eston area 53 mm, the Rosetown area 67 mm, the Smiley area 48 mm, the Cando area 103 mm, the Unity area 72 mm and the Tramping Lake area 96 mm. Total rainfall recorded since April 1st, ranges from 44 to 162 mm.

Topsoil moisture conditions are rated as 19 per cent surplus and 81 per cent adequate. Hay land and pasture topsoil moisture conditions are rated as 18 per cent surplus, 80 per cent adequate and two per cent short.

Crop damage is mostly due to flooding. Hail was reported in the Tramping Lake area. Emergence has been a bit spotty in some areas due to little moisture. The recent rains will help improve the crop conditions. Now that the moisture was received, heat is now needed to get the crops, hayland and pastures growing.

Eighty per cent of the fall cereals, 50 per cent of the spring cereals, 51 per cent of the oilseeds and 57 per cent of the pulse crops are at normal stages of development.

Farmers are controlling weeds, rolling pulses, hauling grain and getting ready for haying.

Northeastern Saskatchewan (Crop Districts 8 and 9AE)

Producers in the region have 98 per cent of the 2011 crop in the ground. Field access is limited in some areas as roads are very soft. Crops are emerging and are in good condition. Most areas received rain ranging from 43 to 162 mm. Total rainfall in the region since April 1st, ranges from 67 to 190 mm.

The Porcupine Plain, Tisdale, and Codette areas received 110 mm, the Nipawin are 69 mm, the Bruno area 35 mm, the Kinistino area 78 mm, the Garrick area 162 mm and the Prince Albert area 63 mm. With the recent moisture, heat is needed to get the crops caught up.

Topsoil moisture on cropland is rated as 69 per cent surplus, 30 per cent adequate and one per cent short. Topsoil moisture on hay and pasture land is reported as 53 per cent surplus, 43 per cent adequate and four per cent short. The majority of crop damage is due to flooding and cutworms. Hail was reported in the Porcupine Plain, Nipawin and Bruno areas. Damage is expected to be significant in some areas. Heavy rain in areas has caused damage to crops in low lying areas. Some acres are expected to be lost to flooding. Weed control operations have been delayed for a few days due to moisture.

Eighty-three per cent of the fall cereals, 63 per cent of the spring cereals, 59 per cent of the oilseeds and 75 per cent of the pulse crops are at normal stages of development.

Farmers are busy controlling weeds and getting ready for haying.

Northwestern Saskatchewan (Crop Districts 9AW and 9B)

Many areas recorded heavy rain for the week with the northwest part of the region receiving more than other areas. The region now has 98 per cent of the 2011 crop seeded. The precipitation received in the last week was welcome. Crops that had patchy germination are now filling in. The rain was good timing for the hay crops. There has been some flooding in areas causing road and farmyard access issues. Crops are emerging and are in good condition.

Precipitation ranged from 42 to 169 mm. The Radisson area recorded 42 mm, the Rabbit Lake area recorded 95 mm, the Medstead area 99 mm, the Neilburg area 91 mm, the Glaslyn area 126 mm, the Frenchman Butte area 90 mm and the Meadow Lake are 169 mm. The rain is welcome for the emerging crops, pasture and hay land. However, it has caused flooding damage to crops. Some canola has been reseeded in the past couple of weeks due to frost damage.

Cropland top soil moisture is reported as 20 per cent surplus, 77 per cent adequate, two per cent short and one per cent very short. Hay and pasture topsoil moisture is rated as 12 per cent surplus, 85 per cent adequate, two per cent short and one per cent very short.

Fifty-two per cent of the fall cereals and oil seeds are behind normal in development. Sixty-three per cent of the pulse crops and 60 per cent of the spring cereals are at normal stages of development.

Crop damage included flooding and hail. Hail damage was reported in the Meota and Glaslyn areas. Cutworms are also causing damage in some areas.

Farmers are busy controlling weeds and getting ready for haying.

South east SK Crop conditions- June 20, 2011							
	Winter wht	Fall rye	Spring wht	Durum	Oat	Barley	Flax
% excellent	22	37	0	1	0	0	1
% good	37	33	23	29	20	30	20
% fair	32	9	38	30	36	23	35
% poor	8	20	31	33	35	39	37
% very poor	1	1	8	7	9	8	7
	Canola	Mustard	Pea	Lentil	Canaryseed	Chickpea	
% excellent	1	0	1	1	0	N/A	
% good	27	24	23	28	16	N/A	
% fair	37	32	33	29	27	N/A	
% poor	27	44	34	37	47	N/A	
% very poor	8	0	9	5	10	N/A	

South west SK Crop conditions- June 20, 2011							
	Winter wht	Fall rye	Spring wht	Durum	Oat	Barley	Flax
% excellent	24	32	11	13	3	6	0
% good	57	54	47	50	67	54	38
% fair	16	14	33	30	23	35	45
% poor	3	0	9	7	7	5	17
% very poor	0	0	0	0	0	0	0
	100	100	100	100	100	100	100
	Canola	Mustard	Pea	Lentil	Canaryseed	Chickpea	
% excellent	4	11	14	7	9	0	
% good	59	57	53	57	61	13	
% fair	29	28	27	30	24	62	
% poor	8	4	6	6	6	25	
% very poor	0	0	0	0	0	0	

East central SK Crop conditions- June 20, 2011							
	Winter wht	Fall rye	Spring wht	Durum	Oat	Barley	Flax
% excellent	28	30	13	20	14	17	14
% good	51	34	57	64	50	55	57
% fair	16	36	25	15	26	21	20
% poor	5	0	5	1	10	7	9
% very poor	0	0	0	0	0	0	0
	Canola	Mustard	Pea	Lentil	Canaryseed	Chickpea	
% excellent	15	23	23	31	28	N/A	
% good	52	63	46	50	40	N/A	
% fair	26	14	21	19	32	N/A	
% poor	6	0	10	0	0	N/A	
% very poor	1	0	0	0	0	N/A	

West central SK Crop conditions- June 20, 2011							
	Winter wht	Fall rye	Spring wht	Durum	Oat	Barley	Flax
% excellent	0	0	11	8	7	9	0
% good	100	93	77	78	80	83	88
% fair	0	7	12	13	13	8	11
% poor	0	0	0	1	0	0	1
% very poor	0	0	0	0	0	0	0
	Canola	Mustard	Pea	Lentil	Canaryseed	Chickpea	
% excellent	12	0	14	13	0	0	
% good	65	65	76	71	68	97	
% fair	21	35	10	16	32	3	
% poor	2	2	0	0	0	0	
% very poor	0	0	0	0	0	0	

North east SK Crop conditions- June 20, 2011						
	Winter wht	Fall rye	Spring wht	Oat	Barley	Flax
% excellent	18	9	13	5	10	0
% good	46	47	52	57	60	61
% fair	30	44	32	33	27	38
% poor	4	0	3	5	3	1
% very poor	2	0	0	0	0	0
	Canola	Mustard	Pea	Lentil	Canaryseed	
% excellent	10	N/A	10	5	0	
% good	58	N/A	61	60	59	
% fair	29	N/A	29	35	39	
% poor	2	N/A	1	0	2	
% very poor	1	N/A	0	0	0	

North west SK Crop conditions- June 20, 2011					
	Winter wht	Fall rye	Spring wht	Oat	Barley
% excellent	0	0	7	9	10
% good	77	67	60	65	62
% fair	23	33	26	20	21
% poor	0	0	5	5	5
% very poor	0	0	2	1	2
	Flax	Canola	Pea	Lentil	
% excellent	0	10	7	0	
% good	56	54	68	21	
% fair	44	29	19	79	
% poor	0	5	5	0	
% very poor	0	2	1	0	

SK (provincial)Crop conditions- June 20, 2011							
	Winter wht	Fall rye	Spring wht	Durum	Oat	Barley	Flax
% excellent	22	26	9	10	7	10	4
% good	54	55	53	51	54	58	36
% fair	19	17	27	27	26	22	32
% poor	5	2	9	11	11	9	24
% very poor	0	0	2	1	2	1	4
	Canola	Mustard	Pea	Lentil	Canaryseed	Chickpea	
% excellent	10	7	12	10	6	0	
% good	50	54	54	54	47	26	
% fair	28	27	23	25	30	46	
% poor	10	11	9	10	14	28	
% very poor	2	0	2	1	3	0	

Crop Districts and Rural Municipalities in Saskatchewan



Weekly Rainfall

for the week ending June 20, 2011



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Saskatchewan Ministry of Agriculture

© 2011 Government of Saskatchewan

0 25 50 100 150 200

Kilometers

N W E S

Projection: UTM Zone 13 Datum: NAD83

Data Source:
Rainfall - Ministry of Agriculture, Crop Report Database
IDW interpolation (power 2.5, fixed radius 300 km)

Prepared by: Geomatics Services Date: June 22, 2011

Weekly Rainfall - Adjusted Legend

for the week ending June 20, 2011



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Saskatchewan Ministry of Agriculture

© 2011 Government of Saskatchewan

0 25 50 100 150 200

Kilometers

N W E S

Projection: UTM Zone 13 Datum NAD83

Data Source:
Rainfall - Ministry of Agriculture, Crop Report Database
IDW interpolation (power 2.5, fixed radius 300 km)

Prepared by: Geomatics Services Date: June 22, 2011

Weekly Rainfall Summary

(in millimeters) 1 inch = 25 mm for the period June 14 to 20, 2011

Crop Dist.	R.M. No.	Name	Past Week	Since 1-Apr
1A	1	Argyle	N/A	155
	2	Mount Pleasant	N/A	206
	3	Enniskillen	21	231
	33	Moose Creek	47	239
	34	Browning	75	312
	61	Antler	N/A	139
	63	Moose Mountain	43	259
	64	Brock	48	250
	65	Tecumseh	114	357
1B	91	Maryfield	30	274
	92	Walpole	28	266
	95	Golden West	43	289
	122	Martin	N/A	310
	123	Silverwood	28	266
	124 A	Kingsley	19	238
	124 B	Kingsley	N/A	N/A
	125	Chester	79.1	277
	151 A	Rocanville	43	378
	151 B	Rocanville	54	324
	153	Willowdale	36	271
	154	Elcapo	18	236
	155	Wolseley	46	252
2A	66	Griffin	N/A	106
	67	Weyburn	123	379
	68	Brokenshell	120	383
	69	Norton	76	301
	97	Wellington	124	324
2B	127 A	Francis	86	252
	127 B	Francis	57.1	182
	129	Bratt's Lake	63.5	228
	156	Indian Head	93.5	235
	160 A	Pense	36	117
	160 B	Pense	47.5	138
	161	Moose Jaw	50	143
	191	Marquis	59	112
3ASE	7	Souris Valley	N/A	N/A
	38 A	Laurier	57	284
	38 B	Laurier	116	364
	39 A	The Gap	54	268
	39 B	The Gap	85	343
3ASW	10	Happy Valley	90	415
	11	Hart Butte	N/A	N/A
	12	Poplar Valley	58	261
	40	Bengough	84	409
	42	Willow Bunch	59	282
	43	Old Post	34	276
	44 A	Waverley	65	236
	44 B	Waverley	70	227
	70	Key West	60	267
	71	Excel	100	320
	73 A	Stonehenge	89.1	264
	73 B	Stonehenge	79	293
	74	Wood River	3.05	203
3AN	101	Terrell	51	224
	102	Lake Johnston	72.4	227
	103	Sutton	51	224
	134	Shamrock	51	193
	164	Chaplin	70	206
	193 A	Eyebrow	49	120
	193 B	Eyebrow	65	138
	194	Enfield	N/A	54
3BS	17	Val Marie	N/A	239
	18	Lone Tree	N/A	191
	45	Mankota	78	292
	75 A	Pinto Creek	N/A	177
	75 B	Pinto Creek	84	219
	76 A	Auvergne	56	187
	76 B	Auvergne	48	181
	77	Wise Creek	46	196
	78 A	Grassy Creek	31	192
	78 B	Grassy Creek	31	229
	78 C	Grassy Creek	N/A	145
	105	Glenbain	93	247
	106	Whiska Creek	38	202
	107	Lac Pelletier	N/A	113
	108	Bone Creek	39	235
3BN	138	Webb	51	149
	166	Excelsior	60	153
	167	Sask. Landing	66	167
	168	Riverside	60	155
	226	Victory	53	121
	228	Lacadena	30	89
	255	Coteau	N/A	N/A
	257	Monet	18.4	72

Crop Dist.	R.M. No.	Name	Past Week	Since 1-Apr
4A	49	White Valley	7	141
	49 A	White Valley	14	153
	51	Reno	15.4	237
	79	Arlington	19	147
	109	Carmichael	32	210
	110	Piapot	12	104
	111	Maple Creek	N/A	98
4B	139	Gull Lake	40	144
	141	Big Stick	15	108
	142	Enterprise	19	114
	169	Pittville	N/A	57
	171	Fox Valley	30	87
	229	Miry Creek	N/A	N/A
	231	Happyland	41	97
5A	183	Fertile Belt	56	312
	186	Abernethy	75	166
	211	Churchbridge	22	209
	213	Saltcoats	42	186
	216	Tullymet	100	156
	217	Lipton	61	110
	241	Calder	23	157
	243	Wallace	44	141
	245 A	Garry	46	114
	245 B	Garry	78	150
	246	Ituna Bon Accord	82	126
	247	Kellross	56	110
	248	Touchwood	38	70
5B	271	Cote	18	122
	276	Foam Lake	N/A	42
	277	Emerald	70	133
	305	Invermay	78.4	142
	307	Elfros	74	148
	308	Big Quill	40	63
	333 A	Clayton	N/A	NIL
	333 B	Clayton	103	139
	334	Preeceville	71	108
	335	Hazel Dell	65	123
	336	Sarnia	76	130
	337	Lakeview	74	126
	338	Lakeside	50	89
	366	Kelvington	75	114
6A	189	Lumsden	51.5	160
	190 A	Dufferin	52	121
	190 B	Dufferin	52	142
	190 C	Dufferin	42	94
	190 D	Dufferin	62.4	132
	219	Longlaketon	38	70
	220	Mckillop	44	109
	221	Sarnia	55.4	134
	222	Craik	53	122
	251	Big Arm	39	120
	252	Arm River	52	113
	279	Mount Hope	69	115
	280	Wreford	62	114
	282	McCraney	55	95
	309	Prairie Rose	60	89
	313	Lost River	N/A	49
	339	Leroy	41.4	64
	340	Wolverine	35	68
	341	Viscount	34	67
	343	Blucher	47	91
6B	283	Rosedale	31	44
	284	Rudy	38	66
	285	Fertile Valley	N/A	59
	286	Milden	44	112
	314	Dundurn	40	72
	344	Corman Park	46	94
	346	Perdue	47	100
	376 A	Eagle Creek	68	118
	376 B	Eagle Creek	43	119
	403	Rosthern	59	104
7A	260 A	Newcombe	53	102
	260 B	Newcombe	N/A	63
	261	Chesterfield	26	58
	287	St. Andrews	34	61
	288	Pleasant Valley	36	59
	290 A	Kindersley	32.4	59
	290 B	Kindersley	35.5	66
	292	Milton	28	80
	317 A	Marriott	67	135
	317 B	Marriott	42	81
	318 A	Mountain View	N/A	N/A
	318 B	Mountain View	44	83
	320 A	Oakdale	28	72
	320 B	Oakdale	21	60
	321	Prairiedale	48	92

Crop Dist.	R.M. No.	Name	Past Week	Since 1-Apr
7B	347 A	Biggar	63	123
	347 B	Biggar	62	88
	350 A	Manposa	96	116
	350 B	Manposa	54	99
	351	Progress	N/A	36
	352	Heart's Hill	N/A	68
	377	Glenside	57	118
	378 A	Rosemount	65	124
	378 B	Rosemount	103	162
	379	Reford	60	102
	380	Tramping Lake	72	87
	381	Grass Lake	68	77
	409 A	Buffalo	100	127
	409 B	Buffalo	65	102
	410	Round Valley	72	74
	411	Senlac	N/A	20
8A	395	Porcupine	110	149
	397	Barrier Valley	48.2	116
	428	Star City	43	69
	456	Arborfield	60	97
	457	Connaught	110	144
	458	Willow Creek	110	143
	486	Moose Range	46	96
	487	Nipawin	69	103
8B	369	St. Peter	N/A	30
	370	Humboldt	44	67
	371 A	Bayne	35	71
	371 B	Bayne	N/A	N/A
	372	Grant	48	114
	402	Fish Creek	40	122
	429	Flett's Springs	34	126
	430	Invergordon	N/A	N/A
	431	St. Louis	N/A	N/A
	459	Kinistino	78	142
	460	Birch Hills	86	153
9AE	461	Prince Albert	63.4	127
	488 A	Torch River	162	190
	488 B	Torch River	N/A	NIL
	491	Buckland	N/A	72
9AW	406	Mayfield	42	85
	435	Redberry	80	114
	436	Douglas	51	77
	463	Duck Lake	53	113
	464	Leask	50	96
	467 A	Round Hill	48	71
	467 B	Round Hill	95	126
	494	Canwood	92	138
	496	Spiritwood	N/A	53
	497	Medstead	98.5	127
9B	438	Battle River	76	111
	440	Hillsdale	N/A	18
	442	Manitou Lake	90.5	110
	468 A	Meota	N/A	32
	468 B	Meota	N/A	8
	468 C	Meota	73.6	117
	498 A	Parkdale	126	160
	498 B	Parkdale	99	106
	499	Marvin	102	127
	501 A	Frenchman Butte	59	130
	501 B	Frenchman Butte	54	82
	501 C	Frenchman Butte	90	137
	561	Loon Lake	77	114
	588 A	Meadow Lake	79	103
	588 B	Meadow Lake	82	125
	588 C	Meadow Lake	169	192
	588 D	Meadow Lake	95.4	133
	622	Beaver River	N/A	23

Municipality No: A, B, C, and D - more than one reporter

These precipitation amounts represent point locations within each municipality and do not necessarily reflect the whole R. M.

Cumulative Rainfall

From: April 1, 2011
To: June 20, 2011



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Saskatchewan Ministry of Agriculture

© 2011 Government of Saskatchewan

0 25 50 100 150 200

Kilometers

N W E S

Projection: UTM Zone 13 Datum: NAD83

Data Source:
Rainfall - Ministry of Agriculture, Crop Report Database
IDW interpolation (power 3.0, fixed radius 300 km)

Prepared by: Geomatics Services Date: June 22, 2011

Cropland Topsoil Moisture Conditions

June 21, 2011



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Saskatchewan Ministry of Agriculture

© 2011 Government of Saskatchewan

0 25 50 100 150 200

Kilometers

N W E S

Projection: UTM Zone 13 Datum: NAD83

Data Source:
Moisture - Ministry of Agriculture, Crop Report Database
IDW interpolation (power 2.5, fixed radius 300 km)

Prepared by: Geomatics Services Date: June 22, 2011

Hay and Pasture Topsoil Moisture Conditions

June 21, 2011



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Saskatchewan Ministry of Agriculture

© 2011 Government of Saskatchewan

0 25 50 100 150 200

Kilometers

N W E S

Projection: UTM Zone 13 Datum: NAD83

Data Source:
Moisture - Ministry of Agriculture, Crop Report Database
IDW interpolation (power 2.5, fixed radius 300 km)

Prepared by: Geomatics Services Date: June 22, 2011